FOR OFF ROAD/RACE USE ONLY!

Driven TT Rearsets for '15-'17 Yamaha R-3 (Race only, no stock foot peg position)
Part#:DRP-729
INSTALLATION INSTRUCTIONS

Removal

Shifter Side
1. Remove shift rod (do not remove shift knuckle).
2. Remove frame plate including stock shift lever from bike.

Brake Side
1. Remove frame bracket from bike
2. Remove 2 M8 bolts holding heal guard
3. Remove master cyclinder plunger pin from brake pedal
4. Remove rear brake switch and disconnect it from bike.

TOOLS REQUIRED

- **8mm Open End Wrench**
- **5mm Hex Key**
- **6mm Hex Key**
- **8mm Hex Key**
- **Neele Nose Pliers**
- **Screw Driver**
- **Blue Loctite**
- **Impact Gun**

THE USE OF BLUE LOCTITE IS REQUIRED ON ALL MOUNTING HARDWARE!

Installation

NOTE: ALL PIVOT POINTS MUST BE TIGHTENED USING BLUE LOCTITE AND AN IMPACT GUN.
To retain the use of the rear brake light switch a separate M10 X 1.25 aftermarket brake light switch (not included) will need to be used.

Shifter Side
1. Install foot peg in frame bracket.
2. Install frame bracket onto bike.
3. Connect shift rod into shift pedal
4. Install frame bracket onto bike.
5. Adjust lever to desired position
6 For reverse shift simple rotate shift knuckle 180 degress.

TORQUE VALUES


- **M5 = 6FT/LBS**
- **M6 = 10FT/LBS**
- **M8 = 25FT/LBS**
- **M10= 45FT/LBS**


Brake Side
1. Install foot peg in frame bracket
2. Connect master cylinder plunger to brake lever using oem pin.
3. Install master cylinder using 2 M6 bolts supplied
   3a. Make sure brake pedal has "free play". Very Important.
4. Install frame bracket to bike.
5. Use blue Loctite on all bolts and torque all to required specs.
6. Make sure nothing interferes with proper operation of motorcycles.

***To activate rear brake light, a brake pressure switch(not included) needs to be installed**

Make final adjustment as necessary and re-check all hardware after the first 500 miles of use.

THIS PRODUCT IS INTENDED TO BE INSTALLED BY A CERTIFIED TECHNICIAN*


100489
M10x1.5x25 SBHCS
100778
100078
M6x1.0x20 SBHCS
M8x1.25x20 SHCS
100491
100115
M6x1.0x20 SBHCS
100404
M8x1.25x20 SHCS
A00002


100307 (3.75" Shift Rod)
M6x1.0x2 SFHCS
100036
M10x1.5x25 SBHCS
M8x1.25x20 SHCS
M6x1.0x12 SBHCS
100490
100488
A00001
100115
100078
100102
M8x1.25x25 SBHCS
M6x1.0x16 SBHCS
100147 (5" Shift Rod)
A00005



(Fig 1.) Brake



(Fig 2.) Standard Shift



(Fig 3.) Reverse Shift

***These images are prototypes only. The actual product may look different.**